

Revision Date: 02/21/2018

SAFETY DATA SHEET

1. Identification

Identification

Product name: AEON 4000

Additional identification

Chemical name: Proprietary compressor oil

Recommended use and restriction on use

Recommended use: Formulated Industrial Lubricant

Restrictions on use:None identified.

Details of the supplier of the safety data sheet

Supplier

Company Name: Gardner Denver

Address: 1800 Gardner Expressway

Quincy IL 62305

US

Telephone: Gardner Denver: 217-222-5400;

Emergency telephone number:

FOR TRANSPORT EMERGENCY CALL CHEMTREC (+1)703 527 3887, OR WITHIN USA 800 424 9300

2. Hazard(s) identification

Hazard Classification

Not classified

Label Elements:

Hazard Symbol: No symbol

Signal Word: No signal word.

Hazard Statement: not applicable

Precautionary Statements: not applicable

Other hazards which do not result

in GHS classification:

None identified.

3. Composition/information on ingredients

General information:

SDS_US - AEON 4000 1/10



Revision Date: 02/21/2018

Chemical name	CAS number	Percent by Weight
Mineral oil	72623-87-1	70 - 80%
Mineral oil	72623-85-9	20 - 30%
Proprietary additive	Not determined.	1 - 5%

4. First-aid measures

Ingestion: Treat symptomatically. Get medical attention.

Inhalation: Remove exposed person to fresh air if adverse effects are observed.

Skin Contact: Wash with soap and water. Get medical attention if symptoms occur.

Launder contaminated clothing before reuse.

Eye contact: Any material that contacts the eye should be washed out immediately with

water. If easy to do, remove contact lenses.

Most important symptoms/effects, acute and delayed

Symptoms: See section 11.

Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically.

5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted. Do not release chemically

contaminated water into drains, soil or surface water.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

CO2, Dry chemical or Foam. Water can be used to cool and protect

exposed material.

Unsuitable extinguishing

media:

Not determined.

Specific hazards arising from

the chemical:

See section 10 for additional information. A solid stream of water will spread the burning material. Material creates a special hazard because it

floats on water.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment for fire-fighters:

SDS US - AEON 4000 2/10



Revision Date: 02/21/2018

Recommend wearing selfcontained breathing apparatus. Do not use a water jet. Water may cause splattering. Use water to cool containers exposed to fire.

SDS_US - AEON 4000 3/10



Revision Date: 02/21/2018

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Ventilate area if spilled in confined space or other poorly ventilated areas. Only trained personnel should be permitted in area. Caution: Contaminated surfaces may be slippery.

Methods and material for containment and cleaning up:

Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material.

Environmental Precautions:

Avoid release to the environment. Do not contaminate water sources or sewer. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling:

Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or grounding procedures. Use grounding and bonding connection when transferring material. In case of spills, beware of slippery floors and surfaces.

Observe good industrial hygiene practices. Provide adequate ventilation. Wear appropriate personal protective equipment. Keep containers closed when not in use. Avoid contact with skin or eyes. Do not eat, drink or smoke when using the product. Avoid breathing dust, fume, gas, mist, vapors or spray. Launder contaminated clothing before reuse. Use spark-proof tools and explosion-proof equipment. Empty containers retain material residue. Do not cut, weld, braze, solder, drill, grind or expose containers to heat, flame, spark or other sources of ignition.

Maximum Handling Temperature:

Not determined.

Conditions for safe storage, including any incompatibilities:

Store away from incompatible materials. See section 10 for incompatible

materials.

Maximum Storage Temperature: Not determined.

8. Exposure controls/personal protection

Control Parameters:

Occupational Exposure Limits

	Chemical name	Туре	Exposure Limit Values	Source
	Mineral oil - Inhalable fraction.	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (03 2014)
	Mineral oil - Inhalable	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (03 2014)
SDS	ÜStioAEON 4000			4/10



Revision Date: 02/21/2018

Appropriate engineering

controls:

No special requirements under ordinary conditions of use and with

adequate ventilation.

Individual protection measures, such as personal protective equipment

General information: Use personal protective equipment as required.

Eye/face protection: If contact is likely, safety glasses with side shields are recommended.

Skin Protection

Hand Protection: Nitrile. Use nitrile or neoprene gloves. Use good industrial hygiene practices.

In case of skin contact, wash hands and arms with soap and water.

Other: No data available.

Respiratory Protection: Use disposable dust/mist mask if the recommended exposure limit is

exceeded. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator.

Hygiene measures: Always observe good personal hygiene measures, such as washing after

handling the material and before eating, drinking, and/or smoking. Routinely

wash work clothing to remove contaminants. Discard contaminated

footwear that cannot be cleaned.

9. Physical and chemical properties

Appearance

Physical state: liquid Form: liquid Color: Green Odor: Hydrocarbon **Odor threshold:** No data available. pH: No data available. Freezing point: No data available. **Boiling Point:** No data available. 410 °F (210 °C) (COC) Flash Point: **Evaporation rate:** No data available. Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

Explosive limit - lower (%):

Vapor pressure:

No data available.

No data available.

No data available.

No data available.

SDS US - AEON 4000 5/10



Revision Date: 02/21/2018

Relative density:

0.866 60.1 °F (15.6 °C)

SDS_US - AEON 4000 6/10



Revision Date: 02/21/2018

Solubility(ies)

Solubility in water:

Solubility (other):

No data available.

Vertition coefficient (n-octanol/water):

Auto-ignition temperature:

496 °F (258 °C)

Decomposition temperature:

No data available.

Viscosity: 45 mm2/s (104 °F (40 °C)) 7 mm2/s (100 °C (212 °F))

Other information

Pour Point Temperature: -22 °F (-30 °C)

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

Will not occur.

Conditions to avoid: Do not expose to excessive heat, ignition sources, or oxidizing materials.

Incompatible Materials: Strong acids. Strong oxidizing agents.

Hazardous Decomposition

Products:

Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion.

11. Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Information on toxicological effects

Acute toxicity

Oral

Product: May cause irritation of the gastrointestinal tract.

Not classified for acute toxicity based on available data.

Dermal

Product: Not classified for acute toxicity based on available data.

Inhalation

SDS US - AEON 4000 7/10



Revision Date: 02/21/2018

Product:

Prolonged exposure to vapors or mist may result in dizziness and nausea.

SDS_US - AEON 4000 8/10



Revision Date: 02/21/2018

Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product: Prolonged or repeated skin contact as from clothing wet with

material may cause dermatitis. Symptoms may include redness,

edema, drying, and cracking of the skin.

Remarks: Not classified as a primary skin irritant.

Serious Eye Damage/Eye Irritation:

Product: Remarks: Not classified as a primary eye irritant.

Respiratory sensitization:

No data available

Skin sensitization:

Mineral oil Classification: Not a skin sensitizer. (Literature) Not a skin sensitizer.

Mineral oil Classification: Not a skin sensitizer. (Read across) Not a skin

sensitizer.

Specific Target Organ Toxicity - Single Exposure:

Mineral oil If material is misted or if vapors are generated from heating,

exposure may cause irritation of mucous membranes and the upper

respiratory tract.

Mineral oil If material is misted or if vapors are generated from heating,

exposure may cause irritation of mucous membranes and the upper

respiratory tract.

Proprietary additive May cause irritation to the mucous membranes and upper

respiratory tract.

Aspiration Hazard:

No data available

Chronic Effects

Carcinogenicity:

Product: This product contains mineral oils which are severely refined and not

considered carcinogenic. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346

test.

Mineral oil This mineral oil has been severely refined and is not considered

carcinogenic. This oil has been demonstrated to contain less than

3% extractables by the IP-346 test.

SDS_US - AEON 4000 9/10



Revision Date: 02/21/2018

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity:

No data available

Reproductive toxicity:

No data available

Specific Target Organ Toxicity - Repeated Exposure:

No data available

12. Ecological information

Ecotoxicity

Fish

Mineral oil LC 50 (Fathead Minnow, 4 d): > 100 mg/l

Mineral oil LC 50 (Rainbow Trout, 4 d): > 5,000 mg/l

Aquatic Invertebrates

Mineral oil EC 50 (Water flea (Daphnia magna), 2 d): > 10,000 mg/l

EC 50 (Water flea (Daphnia magna), 21 d): > 10 mg/l NOEC (Water flea (Daphnia magna), 21 d): 10 mg/l

Mineral oil EC 50 (Water flea (Daphnia magna), 2 d): > 1,000 mg/l

EC 50 (Water flea (Daphnia magna), 21 d): 10 mg/l NOEC (Water flea (Daphnia magna), 21 d): 10 mg/l

Toxicity to Aquatic Plants

Mineral oil EC 50 (Alga, 3 d): > 100 mg/l

NOEC (Alga, 3 d): > 100 mg/l

Toxicity to soil dwelling organisms

No data available

Sediment Toxicity

No data available

Toxicity to Terrestrial Plants

No data available

Toxicity to Above-Ground Organisms

No data available

SDS_US - AEON 4000 10/10



Revision Date: 02/21/2018

Toxicity to microorganisms

No data available

Persistence and Degradability Biodegradation

Mineral oil OECD TG 301 F, 31 %, 28 d, Not readily degradable.

OECD TG 301 B, 2 %, 28 d, Not readily degradable.

Mineral oil OECD TG 301 F, 31 %, 28 d, Not readily degradable.

Bioaccumulative Potential
Bioconcentration Factor (BCF)

No data available

Partition Coefficient n-octanol / water (log Kow)

No data available

Mobility:

No data available

Other Adverse Effects: No data available.

13. Disposal considerations

Disposal instructions: Treatment, storage, transportation, and disposal must be in accordance

with applicable Federal, State/Provincial, and Local regulations.

Since emptied containers retain product residue, follow label warnings even

after container is emptied.

Contaminated Packaging: Container packaging may exhibit hazards.

14. Transport information

DOT

Not regulated.

IMDG

Not regulated.

ΙΔΤΔ

Not regulated.

Transport in bulk according to Annex II of MARPOL and the IBC Code

None known.

The DOT shipping information in this section is based on a bulk container. Please review the accompanying shipping papers for the correct shipping descriptions based the size of the package. Shipping descriptions may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. During transportation, steps must be taken to prevent load shifting or materials falling, and all relating legal statutes should be obeyed. Review classification requirements before shipping materials at elevated temperatures.

SDS_US - AEON 4000 11/10



Revision Date: 02/21/2018

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4)

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 311 Classifications

Not classified

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

Inventory Status

United States (TSCA)

All substances contained in this product are listed on the TSCA inventory or are exempt.

The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.


SDS_US - AEON 4000 12/10



Revision Date: 02/21/2018


16.Other information, including date of preparation or last revision

HMIS Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

NFPA Hazard ID



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date: 02/21/2018

Version #: 3.0

Source of information: Internal company data and other publically available resources.

Further Information: Contact supplier (see Section 1)

Disclaimer: As the conditions or methods of use are beyond our control, we do not

assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state, and local regulations remains

the responsibility of the user.

SDS_US - AEON 4000 13/10